

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		((comparitors or comparators) near index\$3 (receiv\$3 with data) and (stor\$3 with data with (warehouse or memory or store)) and ((warehouse or memory or store) with (busy or engaged or occupied or unavailable or taken)) and ((hold\$3 or wait\$3) with data) and ((warehouse or memory or store) with (free or empty or available)) and (comparitors or comparator) and index\$3 and (sens\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 22:27
S1	1	("6735604").PN.	USPAT; USOCR	OR	OFF	2006/07/24 14:30
S2	7	("20030163473" "5799151" "5987454" "6035294" "6195652" "6243699").PN. OR ("6735604").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/24 14:58
S3	406626	(comparitors or comparator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 14:17
S4	14971	(comparitors or comparator) and (stor\$3 with data with (comparitors or comparator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 11:37
S5	62	(comparitors or comparator) and (stor\$3 with data with (comparitors or comparator)) and ((comparitors or comparator) with busy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/24 15:00
S6	35	(comparitors or comparator) and (stor\$3 with data with (comparitors or comparator)) and ((comparitors or comparator) with busy) and ((additional or extra or more) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/24 15:07

EAST Search History

S7	2	(comparitors or comparator) and (stor\$3 with data with (comparitors or comparator)) and ((comparitors or comparator) with busy) and ((additional or extra or more) with data) and ((comparitors or comparator) with index\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/24 15:07
S8	37	((comparitors or comparator) with busy) and ((comparitors or comparator) with free)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 16:21
S9	15619	(comparitors or comparator) and (stor\$3 with (data or object\$1) with (comparitors or comparator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 11:39
S10	201	(comparitors or comparator) and (stor\$3 with (data or object\$1) with (comparitors or comparator)) and ((comparitors or comparator) with (busy or free))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 11:42
S11	84	(comparitors or comparator) and (stor\$3 with (data or object\$1) with (comparitors or comparator)) and ((comparitors or comparator) with (busy or free)) and ((data or object\$1) with (hold\$3 or wait\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 11:43
S12	22	(comparitors or comparator) and (stor\$3 with (data or object\$1) with (comparitors or comparator)) and ((comparitors or comparator) with (busy or free)) and ((data or object\$1) with (hold\$3 or wait\$3)) and index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 11:43
S13	7	("20030163473" "5799151" "5987454" "6035294" "6195652" "6243699").PN. OR ("6735604").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/02 11:53
S14	14989	(stor\$3 with data with (comparitors or comparator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 11:58

EAST Search History

S15	43	(stor\$3 with data with (comparitors or comparator)) and (signal with (comparitors or comparator) with busy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 12:00
S16	43	(stor\$3 with data with (comparitors or comparator)) and (signal with (comparitors or comparator) with busy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 12:10
S17	351	(stor\$3 with data with (comparitors or comparator)) and (index\$3 with (comparitors or comparator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 12:12
S18	8408	(receiv\$3 with data) and (stor\$3 with data with (comparitors or comparator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 14:52
S19	316	(receiv\$3 with data) and (stor\$3 with data with (comparitors or comparator)) and ((comparitors or comparator) with (busy or engaged or occupied or unavailable or taken))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 12:15
S20	131	(receiv\$3 with data) and (stor\$3 with data with (comparitors or comparator)) and ((comparitors or comparator) with (busy or engaged or occupied or unavailable or taken)) and ((hold\$3 or wait\$3) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 12:16
S21	36	(receiv\$3 with data) and (stor\$3 with data with (comparitors or comparator)) and ((comparitors or comparator) with (busy or engaged or occupied or unavailable or taken)) and ((hold\$3 or wait\$3) with data) and ((comparitors or comparator) with (free or empty or available))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 13:52

EAST Search History

S22	5786	(receiv\$3 with data) and (stor\$3 with data with (warehouse or memory or store)) and ((warehouse or memory or store) with (busy or engaged or occupied or unavailable or taken)) and ((hold\$3 or wait\$3) with data) and ((warehouse or memory or store) with (free or empty or available))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 16:07
S23	1814	(receiv\$3 with data) and (stor\$3 with data with (warehouse or memory or store)) and ((warehouse or memory or store) with (busy or engaged or occupied or unavailable or taken)) and ((hold\$3 or wait\$3) with data) and ((warehouse or memory or store) with (free or empty or available)) and (comparitors or comparator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 13:54
S24	958	(receiv\$3 with data) and (stor\$3 with data with (warehouse or memory or store)) and ((warehouse or memory or store) with (busy or engaged or occupied or unavailable or taken)) and ((hold\$3 or wait\$3) with data) and ((warehouse or memory or store) with (free or empty or available)) and (comparitors or comparator) and index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 13:56
S25	721	(receiv\$3 with data) and (stor\$3 with data with (warehouse or memory or store)) and ((warehouse or memory or store) with (busy or engaged or occupied or unavailable or taken)) and ((hold\$3 or wait\$3) with data) and ((warehouse or memory or store) with (free or empty or available)) and (comparitors or comparator) and index\$3 and (sens\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 13:57
S26	464	(receiv\$3 with data) and (stor\$3 with data with (warehouse or memory or store)) and ((warehouse or memory or store) with (busy or engaged or occupied or unavailable or taken)) and ((hold\$3 or wait\$3) with data) and ((warehouse or memory or store) with (free or empty or available)) and (comparitors or comparator) and index\$3 and (sens\$3) and search\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 13:57

EAST Search History

S27	295	(receiv\$3 with data) and (stor\$3 with data with (warehouse or memory or store)) and ((warehouse or memory or store) with (busy or engaged or occupied or unavailable or taken)) and ((hold\$3 or wait\$3) with data) and ((warehouse or memory or store) with (free or empty or available)) and (comparitors or comparator) and index\$3 and (sens\$3) and (search\$3 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 14:06
S28	18	(receiv\$3 with data) and (stor\$3 with data with (warehouse or memory or store)) and ((warehouse or memory or store) with (busy or engaged or occupied or unavailable or taken)) and ((hold\$3 or wait\$3) with data) and ((warehouse or memory or store) with (free or empty or available)) and ((comparitors or comparator) with index\$3) and index\$3 and (sens\$3) and (search\$3 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 13:58
S29	301	(receiv\$3 with data) and (stor\$3 with data with (warehouse or memory or store or comparitors or comparator)) and ((warehouse or memory or store or comparitors or comparator) with (busy or engaged or occupied or unavailable or taken)) and ((hold\$3 or wait\$3) with data) and ((warehouse or memory or store or comparitors or comparator) with (free or empty or available)) and (comparitors or comparator) and index\$3 and (sens\$3) and (search\$3 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 14:10
S30	2055	(receiv\$3 with (data near object\$1)) and (stor\$3 with (data near object\$1) with (warehouse or memory or store or comparitors or comparator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 14:11
S31	23	(receiv\$3 with (data near object\$1)) and (stor\$3 with (data near object\$1) with (warehouse or memory or store or comparitors or comparator)) and ((warehouse or memory or store or comparitors or comparator) with busy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 14:12

EAST Search History

S32	5557625	(comparitors or comparator) near\$5 index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 14:18
S33	2905246	(comparitors or comparator) near\$5 index\$3 and (receiv\$3 with (data near object\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 14:18
S34	20	(comparitors or comparator) near5 index\$3 and (receiv\$3 with (data near object\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 14:20
S35	1231	(comparitors or comparator) near5 index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 14:20
S36	91	(comparitors or comparator) near5 index\$3 and busy and free	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 14:21
S37	3	(comparitors or comparator) near5 index\$3 and (comparitors or comparator) with busy and free	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 15:57
S38	441	(comparitors or comparator) near2 index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 15:57
S39	4	(comparitors or comparator) near2 index\$3 and (compar\$5 with (data near object\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 16:04

EAST Search History

S40	1565	(compar\$4 with busy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 16:08
S41	118	(compar\$4 with busy) and (compar\$4 with free)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 16:08
S42	19	(compar\$4 with busy) and (compar\$4 with free) and index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 16:08
S43	6735	((comparitors or comparator)) and ((hold\$3 or wait\$3 or buffer\$3) with area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 16:22
S44	17	((comparitors or comparator)) and ((hold\$3 or wait\$3 or buffer\$3) with area) and (compar\$5 near2 busy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 16:35
S45	16	(compar\$5 near2 busy) and (compar\$5 near2 free)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 16:46
S48	224812	((buffer or (holding near area)) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 16:49
S49	28600	((buffer or (holding near area)) with data) and (comparator\$1 or comparator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 16:50

EAST Search History

S50	127	((buffer or (holding near area)) with data) and ((comparator\$1 or comparator\$1) with busy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 16:51
S51	14	((buffer or (holding near area)) with data) and ((comparator\$1 or comparator\$1) with busy) and ((comparator\$1 or comparator\$1) with (free or "not busy"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 18:29
S52	4	"6792412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 18:30
S53	1	("6792412").PN.	USPAT; USOCR	OR	OFF	2006/08/02 18:30
S54	9	(stor\$3 near2 (data near object\$1) near2 (comparitors or comparator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 15:10
S55	737	(index\$3 near3 (comparitors or comparator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 15:11
S56	1	(index\$3 near3 (data near object\$1) with (comparitors or comparator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 15:12
S57	2	(index\$3 with (data near object\$1) with (comparitors or comparator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 15:13
S58	49	(index\$3 near3 (data) near3 (comparitors or comparator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 15:29

EAST Search History

S59	4622	((comparitors or comparator) with (queu\$3 or buffer\$3) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 15:36
S60	120	((comparitors or comparator) with (queu\$3 or buffer\$3) with data) and (index\$3 with (comparitors or comparator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 15:31
S61	10	((comparitors or comparator) with (queu\$3 or buffer\$3) with data) and (index\$3 with (comparitors or comparator)) and (busy with signal\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 15:31
S62	245	((comparitors or comparator) with (queu\$3) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 15:36
S63	75	((comparitors or comparator) with (queu\$3) with data) and index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 22:27
S64	33	((comparitors or comparator) with (queu\$3) with data) and index\$3 and busy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 16:33
S65	193	queu\$3 with ((routing or comparitor or comparator) near data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 16:36
S66	2	queu\$3 with ((routing or comparitor or comparator) near data with index\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 16:35

EAST Search History

S67	41	queu\$3 with ((routing or comparitor or comparator) near data) and index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 17:13
S68	2969	switch\$3 with ((routing or comparitor or comparator) near data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 17:14
S69	386	switch\$3 with ((comparitor or comparator) near data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 17:14
S70	8	switch\$3 with ((comparitor or comparator) near data) and queu\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 17:21
S71	8	switch\$3 with ((comparitors or comparators) near data) and queu\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 17:22
S72	9	((plural\$3 or multiple\$1) with (comparitors or comparators) near data) and queu\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 17:26
S73	1	("6658552").PN.	USPAT; USOCR	OR	OFF	2006/08/03 17:26
S74	169	(comparitors or comparators) near index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 22:27
S75	102	(comparitors or comparators) near index\$3 and (stor\$3 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 22:28

EAST Search History

S76	81	(comparitors or comparators) near index\$3 and (stor\$3 with data) and (buffer or queu\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 22:28
S77	55	(comparitors or comparators) near index\$3 and (stor\$3 with data) and (buffer or queu\$3) and search\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 22:29
S78	3147939	(comparitors or comparators) near index\$3 and (stor\$3 with data) and (buffer or queu\$3) and search\$3 ans switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 22:29
S79	47	(comparitors or comparators) near index\$3 and (stor\$3 with data) and (buffer or queu\$3) and search\$3 and switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 09:52
S80	230	indexing with (comparitors or comparators)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 09:53
S81	52	indexing with (comparitors or comparators) and (buffer\$3 or queu\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 09:53